

Verzeichnis der Direktiven

Hier sind alle Apache-Direktiven aufgeführt, die in der Standard-Apache-Distribution verfügbar sind. Sie sind in einem einheitlichen Format beschrieben. Ein Glossar¹ erläutert die in der Beschreibung verwendeten Begriffe.

Außerdem existiert eine Kurzreferenz der Direktiven², welche zu jeder Direktive eine Zusammenfassung der Details enthält.

- AcceptMutex
- AcceptPathInfo
- AccessFileName
- Action
- AddAlt
- AddAltByEncoding
- AddAltByType
- AddCharset
- AddDefaultCharset
- AddDescription
- AddEncoding
- AddHandler
- AddIcon
- AddIconByEncoding
- AddIconByType
- AddInputFilter
- AddLanguage
- AddModuleInfo
- AddOutputFilter
- AddOutputFilterByType
- AddType
- Alias
- AliasMatch
- Allow
- AllowCONNECT
- AllowOverride
- Anonymous
- Anonymous_LogEmail
- Anonymous_MustGiveEmail
- Anonymous_NoUserID
- Anonymous_VerifyEmail
- AssignUserID
- AuthBasicAuthoritative
- AuthBasicProvider
- AuthDBMGroupFile
- AuthDBMType
- AuthDBMUserFile
- AuthDefaultAuthoritative
- AuthDigestAlgorithm
- AuthDigestDomain
- AuthDigestNcCheck
- AuthDigestNonceFormat
- AuthDigestNonceLifetime
- AuthDigestProvider
- AuthDigestQop
- AuthDigestShmemSize
- AuthGroupFile
- AuthLDAPAuthoritative

Verzeichnis der Direktiven

- AuthLDAPBindDN
- AuthLDAPBindPassword
- AuthLDAPCharsetConfig
- AuthLDAPCompareDNOnServer
- AuthLDAPDereferenceAliases
- AuthLDAPEnabled
- AuthLDAPFrontPageHack
- AuthLDAPGroupAttribute
- AuthLDAPGroupAttributeIsDN
- AuthLDAPRemoteUserIsDN
- AuthLDAPStartTLS
- AuthLDAPUrl
- AuthName
- AuthType
- AuthUserFile
- AuthzDBMAuthoritative
- AuthzDBMType
- AuthzDefaultAuthoritative
- AuthzGroupFileAuthoritative
- AuthzUserAuthoritative
- BrowserMatch
- BrowserMatchNoCase
- BS2000Account
- CacheDefaultExpire
- CacheDirLength
- CacheDirLevels
- CacheDisable
- CacheEnable
- CacheExpiryCheck
- CacheFile
- CacheForceCompletion
- CacheGcClean
- CacheGcDaily
- CacheGcInterval
- CacheGcMemUsage
- CacheGcUnused
- CacheIgnoreCacheControl
- CacheIgnoreNoLastMod
- CacheLastModifiedFactor
- CacheMaxExpire
- CacheMaxFileSize
- CacheMinFileSize
- CacheNegotiatedDocs
- CacheRoot
- CacheSize
- CacheTimeMargin
- CGIMapExtension
- CharsetDefault
- CharsetOptions
- CharsetSourceEnc
- CheckSpelling
- ChildPerUserID
- ContentDigest
- CookieDomain

Verzeichnis der Direktiven

- CookieExpires
- CookieLog
- CookieName
- CookieStyle
- CookieTracking
- CoreDumpDirectory
- CustomLog
- Dav
- DavDepthInfinity
- DavLockDB
- DavMinTimeout
- DefaultIcon
- DefaultLanguage
- DefaultType
- DeflateBufferSize
- DeflateFilterNote
- DeflateMemLevel
- DeflateWindowSize
- Deny
- <Directory>
- DirectoryIndex
- <DirectoryMatch>
- DocumentRoot
- EnableMMAP
- EnableSendfile
- ErrorDocument
- ErrorLog
- Example
- ExpiresActive
- ExpiresByType
- ExpiresDefault
- ExtendedStatus
- ExtFilterDefine
- ExtFilterOptions
- FileETag
- <Files>
- <FilesMatch>
- ForceLanguagePriority
- ForceType
- Group
- Header
- HeaderName
- HostnameLookups
- IdentityCheck
- <IfDefine>
- <IfModule>
- ImapBase
- ImapDefault
- ImapMenu
- Include
- IndexIgnore
- IndexOptions
- IndexOrderDefault
- ISAPIAppendLogToErrors

Verzeichnis der Direktiven

- ISAPIAppendLogToQuery
- ISAPICacheFile
- ISAPIFakeAsync
- ISAPILogNotSupported
- ISAPIReadAheadBuffer
- KeepAlive
- KeepAliveTimeout
- LanguagePriority
- LDAPCacheEntries
- LDAPCacheTTL
- LDAPCertDBPath
- LDAPOpCacheEntries
- LDAPOpCacheTTL
- LDAPSharedCacheSize
- <Limit>
- <LimitExcept>
- LimitRequestBody
- LimitRequestFields
- LimitRequestFieldSize
- LimitRequestLine
- LimitXMLRequestBody
- Listen
- ListenBackLog
- LoadFile
- LoadModule
- <Location>
- <LocationMatch>
- LockFile
- LogFormat
- LogLevel
- MaxClients
- MaxKeepAliveRequests
- MaxMemFree
- MaxRequestsPerChild
- MaxRequestsPerThread
- MaxSpareServers
- MaxSpareThreads
- MaxThreads
- MaxThreadsPerChild
- MCacheMaxObjectCount
- MCacheMaxObjectSize
- MCacheMaxStreamingBuffer
- MCacheMinObjectSize
- MCacheRemovalAlgorithm
- MCacheSize
- MetaDir
- MetaFiles
- MetaSuffix
- MimeMagicFile
- MinSpareServers
- MinSpareThreads
- MMapFile
- ModMimeUsePathInfo
- MultiviewsMatch

Verzeichnis der Direktiven

- NameVirtualHost
- NoProxy
- NumServers
- Options
- Order
- PassEnv
- PidFile
- ProtocolEcho
- <Proxy>
- ProxyBlock
- ProxyDomain
- ProxyErrorOverride
- ProxyIOBufferSize
- <ProxyMatch>
- ProxyMaxForwards
- ProxyPass
- ProxyPassReverse
- ProxyPreserveHost
- ProxyReceiveBufferSize
- ProxyRemote
- ProxyRemoteMatch
- ProxyRequests
- ProxyTimeout
- ProxyVia
- ReadmeName
- Redirect
- RedirectMatch
- RedirectPermanent
- RedirectTemp
- RemoveCharset
- RemoveEncoding
- RemoveHandler
- RemoveInputFilter
- RemoveLanguage
- RemoveOutputFilter
- RemoveType
- RequestHeader
- Require
- RewriteBase
- RewriteCond
- RewriteEngine
- RewriteLock
- RewriteLog
- RewriteLogLevel
- RewriteMap
- RewriteOptions
- RewriteRule
- RLimitCPU
- RLimitMEM
- RLimitNPROC
- Satisfy
- ScoreBoardFile
- Script
- ScriptAlias

Verzeichnis der Direktiven

- ScriptAliasMatch
- ScriptInterpreterSource
- ScriptLog
- ScriptLogBuffer
- ScriptLogLength
- ScriptSock
- SendBufferSize
- ServerAdmin
- ServerAlias
- ServerLimit
- ServerName
- ServerPath
- ServerRoot
- ServerSignature
- ServerTokens
- SetEnv
- SetEnvIf
- SetEnvIfNoCase
- SetHandler
- SetInputFilter
- SetOutputFilter
- SSIEndTag
- SSIErrorMsg
- SSIStartTag
- SSITimeFormat
- SSIUndefinedEcho
- SSLCACertificateFile
- SSLCACertificatePath
- SSLCARevocationFile
- SSLCARevocationPath
- SSLCertificateChainFile
- SSLCertificateFile
- SSLCertificateKeyFile
- SSLCipherSuite
- SSLEngine
- SSLMutex
- SSLOptions
- SSLPassPhraseDialog
- SSLProtocol
- SSLProxyCACertificateFile
- SSLProxyCACertificatePath
- SSLProxyCARevocationFile
- SSLProxyCARevocationPath
- SSLProxyCipherSuite
- SSLProxyEngine
- SSLProxyMachineCertificateFile
- SSLProxyMachineCertificatePath
- SSLProxyProtocol
- SSLProxyVerify
- SSLProxyVerifyDepth
- SSLRandomSeed
- SSLRequire
- SSLRequireSSL
- SSLSessionCache

Verzeichnis der Direktiven

- SSLSessionCacheTimeout
- SSLVerifyClient
- SSLVerifyDepth
- StartServers
- StartThreads
- SuexecUserGroup
- ThreadLimit
- ThreadsPerChild
- ThreadStackSize
- TimeOut
- TransferLog
- TypesConfig
- UnsetEnv
- UseCanonicalName
- User
- UserDir
- VirtualDocumentRoot
- VirtualDocumentRootIP
- <VirtualHost>
- VirtualScriptAlias
- VirtualScriptAliasIP
- XBitHack

URI-Referenzen

[1] <http://httpd.apache.org/docs-2.1/mod/directive-dict.html>

[2] <http://httpd.apache.org/docs-2.1/mod/quickreference.html>